



— PRODUCT DATA SHEET

P18R Signature



P18R Signature

PRODUCT DESCRIPTION

Wherever life takes you—outdoors or on the job—with the Ledlenser P18R Signature, you are ready for it. Our biggest everyday flashlight is brighter and more beautifully designed than ever: It illuminates your world with up to 7000 lumens in boost mode and comes with a sleek charcoal-colored housing. At the same time, the P18R Signature is more effortless to operate than ever: You can easily switch between different light modes, the transport lock and USB-C charging port via Mode Select Ring and adjust the focus with your thumb via One-Touch Focus. P18R Signature, venture out.



- Brilliant light quality with up to 7000 lumens in boost mode and focus function (Advanced Focus System)
- Sophisticated design: Charcoal-colored housing with modern and clean surface structure
- Intuitive control: Mode Select Ring for quick access to different light modes, transport lock and USB-C charging port and One-Touch Focus for easy focusing as well as option to add another light function
- Sustainable: Use of 75 % recycled aluminium⁹, 7-year warranty* and rechargeable via USB-C, with additional charging station
- Element-proof: High water and dust resistance (IP68)

TECHNICAL DATA

Weight incl. batteries [g]	651
Material	Aluminum alloy
Luminous range [mm]	196
Luminous range (focused) [mm]	196
Tube diameter [mm]	47
Head diameter [mm]	86

POWER SUPPLY

Battery quantity	1
Rechargeable	Yes
Battery type	Lithium-ion
Total battery voltage [V]	11.1
Total battery capacity [mAh]	3200
Total battery energy [Wh]	35.52 Wh
Battery replaceable	Yes
Charging time [min]	210
Energy status indicator	Battery Indicator, Charge Indicator, Low Battery Warning

FURTHER SPECIFICATIONS

IP class	IP68
Drop test (drop height) [m]	1
Working temperature range [°C]	-20 to +40

LIGHT FUNCTIONS

Cool White Main: Boost, Power, Mid power, Low power, SOS, Strobe, Position, Blink

LIGHT SOURCE

	MAIN
Amount LEDs	3
Color	Cool White
Color temperature [K]	6000 to 7500
Color rendering index (CRI)	70

LIGHT VALUES - Cool White Main

	Boost	Power	Mid power	Low power
Light output [lm]	7000	3500	1000	100
Beam distance [m]	630	440	240	45
Run time [h]	-	2	5.5	45

P18R Signature

SWITCH

Front Mode Select Ring

FEATURES

Brilliant Clarity , Sophisticated Design, Intuitive Control, High Usability, Sustainable, Element-proof, USB-C Charging, Transportation Lock, Flicker Free

P18R Signature

PACKAGING AND LOGISTICS



PACKAGING INFORMATION

Type of packaging	Case
Scope of delivery	Charging station (Type E), 1 set of rechargeable batteries (3x18650), Charging cable (USB-C), Adjustable hand strap, Transport case (P18R)
Item No.	503114
Color	Charcoal
MSRP price (€)	329
Customs tariff number	CTN_85131000

SINGLE PACKAGE

Dimensions W x H x D [cm]	24 x 24 x 10.2
Gross weight [g]	1760
GTIN-13	4058205037464

EXPORT CARTON

Unit	2
Dimensions W x H x D [cm]	27.5 x 28.5 x 23
Gross weight [g]	4020
GTIN-13	4058205037440

P18R Signature

ACCESSORIES

PRODUCT CATEGORY	ITEM NO.	PRODUCT NAME	PRICE
	501507	Color Filter Blue 85.5mm	24.90 €
Chargers & Cables	502929	USB-C Adapter 20W	19.90 €

P18R Signature

SPARE PARTS

PRODUCT CATEGORY	ITEM NO.	PRODUCT NAME	PRICE
Chargers & Cables	900003	Charging Station Type E	29.90 €
Fastenings / Spare Parts / Products	SP502190_AL	Adjustable Lanyard	0.00 €
Charger / Spare Parts / Products	SP502910_USB	Charging Cable USB-C to USB-C	5.90 €
Batteries / Spare Parts / Products	900010	3x18650 Li-ion rechargeable battery	49.90 €
Fastenings / Spare Parts / Products	900016	Strap for Charging Station Type E,F	4.90 €
Protections / Spare Parts / Products	900017	Protective Elements Set Type E	0.00 €

P18R Signature

PRODUCT SERIES

Powerful flashlights for those who push boundaries—the discerning enthusiasts, the industrious workers, the bold adventurers and the forward-thinkers. Lights that bridge the gap between the epic and the technical. In your hand, they do more than shine—they guide your path, reveal the unknown and empower you to explore, discover and redefine what is possible. Pioneering Brilliance. The P-Series: Redefined.

P18R Signature

FOOTNOTES

The information pertaining to scope of delivery, appearance, performance, dimensions and weight corresponds to the information available at the time of publication. In the interest of product development, we reserve the right to change scope of delivery, appearance, design and color without prior notice. Product images may vary from the actual products and may show optional accessories which can be purchased separately. Errors and omissions excepted.

*) 7 year warranty only if registered, otherwise 2 years.
Warranty conditions viewable at <https://ledlenser.com/en/infos-service/warranty/>

1) Measured values according to ANSI/PLATO FL 1 in the respective setting named. If no setting is specifically named, the luminous flux (lumens/lm) and range (meters/m) values refer to the brightest setting and the burn time

(hours/h) values refer to the lowest setting. A boost function (if available) can be used several times, but is only available for a short time at a time. In case the lamp is equipped with colored LED(s), the measured values are given with white light or the white LED. If the lamp has different energy modes, the "energy saving mode" is the basis for the measurement.

2) Calculated value of the capacity in watt-hours (Wh). This applies to the battery(ies) contained in the delivery condition of the respective item or, in the case of lamps with rechargeable battery, to the battery(ies) contained herein in a fully charged condition.

9) All aluminium components are made of at least 75 % recycled aluminium and may thus vary in surface structure and color.